

Powerful, super handy electric tools for threading with unique support bracket. Ready to use anywhere, without vice. Ideal for repair, renovation, job site.

Pipe threads $1/8-3/4"$, 16–32 mm

Thread types see page 16, 17.

**REMS Mini-Amigo – the smallest and lightest.
Only 2.7 kg. Only 27 cm long.**

System advantage

One type of small, compact quick-change die heads and one type of dies only for REMS Mini-Amigo, REMS Amigo, REMS Amigo 2, REMS Amigo 2 Compact and REMS eva. Thus efficient and easy stocking. No confusion possible.

Support bracket

Solid, easy to use, supports the die stock against torque in both directions. Secure clamping through angular clamping spindle with self-supporting effect. Very simple mounting of die stock onto support bracket and pipe.

Execution

Compact, robust, job site-proven. Super small, handy design. Only 27 cm long. Super light, drive unit only 2.7 kg. Can be use anywhere, without vice. Slender design for working in confined areas. No heavy top, therefore single-hand operation possible. Perfect, secure seating of quick-change die heads.

Drive

Solid, compact, maintenance-free gear. Powerful 500 W universal motor with large power reserve. High cutting speed 30–18 rpm. Safety tip switch.

Quick-change die heads

Proven technology, high-grade material and precise machining of die head, dies and cover form a unit and ensure an excellent start-cutting performance and easy threading. No stalling of dies. Long, precise pipe guidance for perfect pipe centering. The chip holes which become wider at the outside enable good chip flow and clean threads.

Dies

The proven, indestructible REMS quality dies with precise cutting geometry ensure an excellent start-cutting performance, easy threading and clean threads. Dies in a high-quality special-grade steel, fully tempered and hardened, for extremely long die life.

Thread-cutting oil

REMS Sanitol and REMS Spezial (page 33). Specially developed for threading. High cooling and lubricating effect. Essential for clean threads and longer service life of dies, tools and machines.

Nipple-threading

Efficient with REMS Nippelspanner $3/8-3/4"$ (page 32).



German Quality Product



Supply format

REMS Mini-Amigo Set. Electric die stock with quick-change die heads. For pipe threads $1/8-3/4"$, 16–32 mm. For right and left-hand threads. Drive unit with maintenance-free gear, powerful universal motor 230 V or 110 V, 50–60 Hz, 500 W, safety tip switch. Right and left-hand rotation, Support bracket for both directions. REMS eva quick-change die heads for pipe threads, tapered, ISO 7-1 (DIN 2999, BSPT) R right-hand respectively for threading electric conduit according to DIN EN 60423 M. In carrying bag.

Description	Art.-No.
Set R $1/2-3/4$	530010
Set M 20-25-32 (M x 1,5)	530011

REMS Mini-Amigo Set for NPT threads available. Other voltages on request.



Accessories

Description	Art.-No.
Quick-change die heads, dies, attachment heads for button dies , see page 16, 17.	
REMS Mini-Amigo drive unit	530001
Support bracket	533100
REMS REG St $1/4-2"$, pipe deburrer (see page 63)	731700
Steel case for REMS Mini-Amigo	536100
Ratchet lever see page 10	522000
Thread-cutting oil see page 33.	
REMS Nippelspanner $3/8-2"$ see page 32.	



for all common pressfitting systems



Hold-Harmless and Indemnification Agreement

See page 114.

Confirmation of suitability

See page 113.

Select pressing tongs Mini yourself!

Search for the required pressfitting system in the opposite table and select the correct pressing tongs size.

High-compression pressing tongs in forged and specially hardened steel. Pressing contours of REMS pressing tongs are system-specific and correspond with the respective pressfitting system. Thus perfect system-conformity, safe press jointing. Pressing jaws of pressing tongs manufactured on CNC production centres ensure high-precision machining of pressing contour. Hence far closer tolerances compared to as cast pressing contour.

Drive through REMS Mini-Press ACC drive unit.



German Quality Product

Type	Pressing contour	Pressing tongs Mini
B		
CO		
F		
G		
H		
HA		
HRA		
KI		
M		
MT		
RFz		
SA		
TH		
U		
US		
V		
VP		
VX		
VUS		

System	Pressing tongs Mini	Art. No.	System	Pressing tongs Mini	Art. No.	System	Pressing tongs Mini	Art. No.	System	Pressing tongs Mini	Art. No.
AC-FIX PRESS	RFz 12	578490	APE Raccordi	TH 14	578348	BROEN	M 15	578312	Comap Sudopress	TH 16	578352
(Global Piping Systems)	RFz 16	578492	a pressare	TH 16	578352	BALLOFIX PRES	M 18	578314	Skin Plastic	TH 20	578358
	RFz 20	578494		TH 18	578356		M 22	578316	COMISA	TH 16	578352
	RFz 25	578496		TH 20	578358		V 15	578328	COMISA-PRESS	TH 18	578356
	RFz 32	578498		TH 26	578362		V 18	578332		TH 20	578358
	H 12	578396	AP-Presssystem	U 14	578372		V 22	578334		TH 26	578362
	H 16	578400		U 16	578374	BUCCHI tech MP	TH 16	578352		TH 32	578364
	H 20	578406		U 18	578376		TH 18	578356	CosmoCONNECT	F 16	578456
	H 25	578408		U 20	578378		TH 20	578358		F 20	578460
	H 32	578412		U 25	578380		TH 26	578362		F 26	578462
				U 32	578382		TH 32	578364		F 32	578464
AC-FIX	H 16	578400	ASTM F 1807	US 3/8"	578534	chronimo	SA 12	578510		H 16	578400
PRESS-MULTI	H 18	578404	(Fittings with	US 1/2"	578536	SANHA-NiroSan-	SA 14	578512		H 20	578406
(Global Piping Systems)	H 20	578406	Copper Crimp Ring	US 3/4"	578538	Presssystem	SA 15	578514		H 26	578410
	H 32	578412	for PEX tubing)	US 1"	578540		SA 16	578516		H 32	578412
	U 16	578374					SA 18	578518		U 16	578374
	U 18	578376	BAMPI BALPED,	TH 14	578348		SA 22	578520		U 20	578378
	U 20	578378	BAMPI BALPEX	TH 16	578352		SA 28	578522		U 25	578380
	U 25	578380		TH 18	578356		M 12	578310	(NW 26)	U 32	578382
	U 32	578382		TH 20	578358		M 15 ²⁾	578312		TH 16	578352
				TH 26	578362		M 18 ²⁾	578314		TH 20	578358
AHLSSELL	M 12	578310	BARBI	RFz 12	578490		M 22 ²⁾	578316		TH 26	578362
A-press	M 15	578312	EASYPRESS	RFz 16	578492		M 28	578318		TH 32	578364
elgalvaniserat	M 18	578314	(Industrial Blansol)	RFz 20	578494		V 12	578324		VP 16	578482
	M 22	578316		RFz 25	578496		V 14	578326		VP 20	578484
	M 28	578318		RFz 32	578498		V 16	578330		(NW 26)	VP 25
AHLSSELL	V 12	578324	BARBI MULTIPEX	H 11,5	578394		V 18 ²⁾	578332		VP 32	578488
A-press koppar	V 15	578328	(Industrial Blansol)	H 14	578398		V 22 ²⁾	578334			
	V 18	578332		H 16	578400		V 28	578336			
	V 22	578334		H 17	578402	ClouSet Press	TH 16	578352	cusmart	TH 14	578348
	V 28	578336		H 18	578404		TH 18	578356		TH 16	578352
AHLSSELL	M 15	578312		H 20	578406		TH 20	578358		TH 20	578358
A-press rostfritt	M 18	578314		H 26	578410						
	M 22	578316		H 32	578412						
	M 28	578318									
AIRBEL	M 12	578310	BEGETUBE/IVAR	B 14	578466						
SERTINOX	M 15	578312		B 16	578468						
	M 18	578314		B 18	578470						
	M 22	578316		B 20	578472						
	M 28	578318		B 26	578474						
ALB	TH 16	578352		B 32	578476						
Sistema Multicapa	TH 18	578356	BRASELI	RFz 16	578492	Comap	V 12	578324			
	TH 20	578358	Pressfitting Pex	RFz 20	578494	Sudopress Cu	V 14	578326			
	TH 26	578362		RFz 25	578496		V 15	578328			
	TH 32	578364		RFz 32	578498		V 16	578330			
	H 16	578400	BRASELI	U 16	578374		V 18	578332			
	H 18	578404	Pressfitting	U 18	578376		V 22	578334			
	H 20	578406	Multicapa	U 20	578378		V 28	578336			
	H 26	578410		U 25	578380						
	H 32	578412		U 32	578382						
	U 16	578374	Brasstech	TH 14	578348	Comap	CO 12	578542			
	U 18	578376	Brasspress Aluplast	TH 16	578352	Sudopress PEX	CO 16	578544			
	U 20	578378		TH 20	578358	(PER)	CO 20	578546			
	U 25	578380		TH 26	578362		CO 25	578548			
	U 32	578382		TH 32	578364	Comap Sudopress	TH 14	578348			
						Skin Visu-control	TH 16	578352			
							TH 18	578356			
							TH 20	578358			
							TH 26	578362			
							THL 32	578368			

¹⁾ For these pressfitting systems the REMS pressing tongs Mini marked "77", "87", or from production date 2008 onwards marked "108" (1st quarter 2008), "208" (2nd quarter 2008) etc are suitable. The marking is stamped on each pressing jaw.

²⁾ For SANHA NiroSan-Press pressfittings in stainless steel one can only use REMS pressing tongs Mini marked "108" (1st quarter 2008), "208" (2nd quarter 2008) etc. The marking is stamped on each pressing jaw.

Application REMS pressing tools for pressfitting systems: Date 01.05.2008. REMS pressing tongs Mini for additional pressfitting systems on request.

System	Pressing tongs Mini	Art. No.	System	Pressing tongs Mini	Art. No.	System	Pressing tongs Mini	Art. No.	System	Pressing tongs Mini	Art. No.
DW Verbundrohr	U 16	578374	FittingsEstandar,S.L.	U 16	578374	Geberit Mapress	M 12	578310	GS Wärmesysteme	TH 14	578348
multitubo systems	U 18	578376	Fittings Estandar	U 18	578376	C-STAHL/	M 15	578312	System TH	TH 16	578352
	U 20	578378	Multicapa	U 20	578378	EDELSTAHL/	M 18	578314		TH 20	578358
	U 25	578380		U 25	578380	EDELSTAHL Gas	M 22	578316		TH 26	578362
	U 32	578382		U 32	578382	(15 bis 28 mm)/	M 28	578318		TH 32	578364
egeda Comisa	TH 16	578352	FittingsEstandar,S.L.	RFz 16	578492	KUPFER/			GS Wärmesysteme	V 15	578328
	TH 20	578358	Fittings Estandar	RFz 20	578494	KUPFER Gas			System V	V 18	578332
	TH 26	578362	PE-X/Ecopress	RFz 25	578496	(15 bis 28 mm)				V 22	578334
	TH 32	578364		RFz 32	578498					V 28	578336
egeda Baronio	V 12	578324	Fränkische	F 16	578456	Geberit Mepla	G 16	578444	HAGOS	TH 16	578352
	V 15	578328	alpex-duo	F 18	578458		G 20	578446	HakaGerodur	H 11,5	578394
	V 18	578332		F 20	578460		G 26	578448	HAKAPRESS	H 14	578398
	V 22	578334		F 26	578462		G 32	578450		H 16	578400
	V 28	578336		F 32	578464		G 40	578452		H 17	578402
Elkhart XPRESS	VUS 1/2"	578566	Fränkische	F 16	578456	General Fittings	TH 16	578352		H 18	578404
	VUS 3/4"	578568	alpex F50 PROFI	F 20	578460	General-Flex-Press	TH 20	578358		H 20	578406
	VUS 1"	578570		F 26	578462	5900	TH 26	578362		H 26	578410
EMPUR	TH 14	578348		F 32	578464		TH 32	578364	HakaGerodur	TH 16	578352
PEXPRESS	TH 16	578352		H 16	578400		H 16	578400	HAKASAN	TH 20	578358
	TH 17	578354		H 20	578406		H 20	578406		TH 26	578362
	TH 20	578358		H 26	578410		H 26	578410		TH 32	578364
	TH 26	578362		H 32	578412		H 32	578412	HALLTORP	M 12	578310
	TH 32	578364		TH 16	578352		U 16	578374	HR press FZ	M 15	578312
eurotherm	TH 16	578352		TH 20	578358		U 20	578378	(Förzinkat)	M 18	578314
Multistrato	TH 20	578358		TH 26	578362	General Fittings	M 12	578310		M 22	578318
Euro2000	TH 26	578362		TH 32	578364	General-Press-	M 15	578312	Harden 2000	TH 14	578348
	TH 32	578364		U 16	578374	Steel 2300/	M 18	578314	Poly-Pex 2000	TH 16	578352
FAR Rubinetterie	TH 14	578348		U 20	578378	General-Press-	M 22	578316		TH 20	578358
PRESSFAR	TH 16	578352		(NW 26) U 25	578380	Inox 2200/	M 28	578318		TH 26	578362
	TH 18	578356		U 32	578382	General-Press-			Harden 2000	TH 14	578348
	TH 20	578358		VP 16	578482	Copper C6000/			Plastic-Press	TH 16	578352
	TH 25	578360		VP 20	578484	B8000				TH 20	578358
	TH 26	578362		(NW 26) VP 25	578486	+GF+ PRESS FIT	SA 12	578510		TH 26	578362
	TH 32	578364		VP 32	578488		SA 15	578514	heima-press	TH 16	578352
	H 14	578398		FRIATHERM uni	H 16		SA 18	578518		TH 20	578358
	H 16	578400		H 20	578406		SA 22	578520		TH 26	578362
	H 18	578404		H 26	578410		SA 28	578522		TH 32	578364
	H 20	578406		H 32	578412		M 12	578310	Herz pipefix	TH 14	578348
	H 26	578410		gabo	TH 10		M 15	578312		TH 15	578350
	H 32	578412		Systemtechnik	TH 12		M 18	578314		TH 16	578352
	U 14	578372			TH 14		M 22	578316		TH 17	578354
	U 16	578374			TH 15		M 28	578318		TH 18	578356
	U 18	578376			TH 16		M 28	578318		TH 20	578358
	U 20	578378			TH 17		V 12	578324		TH 25	578360
	U 25	578380			TH 18		V 15	578328		TH 26	578362
	U 32	578382			TH 20		V 18	578332		TH 32	578364
F.B.Q. BARONIO	V 14	578326			TH 25		V 22	578334	HITEC Sistema	TH 14	578348
BQ press	V 15	578328			TH 26		V 28	578336	Multistrato	TH 16	578352
	V 16	578330			TH 28					TH 18	578356
	V 18	578332			TH 30					TH 20	578358
	V 22	578334			TH 32					TH 26	578362
	V 28	578336			TH 34					TH 32	578364
FILTUBE	M 15	578312			TH 36				IBP >B< Flex	U 16	578374
Instalpress	M 18	578314			TH 38					U 18	578376
	M 22	578316			TH 40					U 20	578378
	M 28	578318			TH 42					U 25	578380
					TH 44					U 32	578382
					TH 46				IBP >B< Press,	V 12	578324
					TH 48				IBP >B< Press Inox,	V 14	578326
					TH 50				IBP >B< Press Solar	V 15	578328
					TH 52					V 16	578330
					TH 54					V 18	578332
					TH 56					V 22	578334
					TH 58					V 28	578336
					TH 60						
					TH 62						
					TH 64						
					TH 66						
					TH 68						
					TH 70						
					TH 72						
					TH 74						
					TH 76						
					TH 78						
					TH 80						
					TH 82						
					TH 84						
					TH 86						
					TH 88						
					TH 90						
					TH 92						
					TH 94						
					TH 96						
					TH 98						
					TH 100						

System	Pressing tongs Mini	Art. No.	System	Pressing tongs Mini	Art. No.	System	Pressing tongs Mini	Art. No.	System	Pressing tongs Mini	Art. No.
PIPELIFE-	TH 16	578352	RIQUIER A SERTIR H 12		578396	Schwer AQUApress M 12		578310	TERSIA-Press	U 14	578372
RADOPRESS	TH 18	578356		H 16	578400		M 15	578312		U 16	578374
	TH 20	578358		H 20	578406		M 18	578314		U 18	578376
	TH 26	578362		H 25	578408		M 22	578316		U 20	578378
	TH 32	578364		RFz 12	578490		M 28	578318		U 25	578380
POLYSAN	TH 14	578348		RFz 16	578492	SIKO TYPRO,	TH 14	578348		U 32	578382
Handelsges. m.b.H.	TH 16	578352		RFz 20	578494	SIKO TYROTHERMTH 16		578352	THERMAGAS	TH 14	578348
& Co KG	TH 17	578354		RFz 25	578496		TH 18	578356	Espace Espresso	TH 16	578352
(Krems - Österreich)	TH 18	578356	Rofix Rhino PEX	U 16	578374		TH 20	578358		TH 20	578358
POLYSAN-	TH 20	578358		U 20	578378		TH 26	578362		TH 26	578362
Press-System	TH 26	578362		U 32	578382	Simplex	M 12	578310		TH 32	578364
	TH 32	578364		TH 20	578358	VSH Press	M 15	578312	THERMOLUTZ	H 14	578398
POLYSAN S.A.	U 16	578374		TH 26	578362	C-Stahl ¹⁾	M 18	578314	acular/	H 16	578400
(Madrid - España)	U 18	578376		TH 32	578364	VSH Dominox	M 22	578316	rapid	H 17	578402
Sistema Rainbow	U 20	578378	Roth España	TH 16	578352	Edelstahl ¹⁾	M 28	578318	THISA Thisa-Pex,	RFz 16	578492
	U 25	578380	Rothapress	TH 18	578356	RYW Pressfittings Cu/Rg ¹⁾			THISA multiplus	RFz 20	578494
	U 32	578382		TH 20	578358	SiRoCon Cu/E ¹⁾				RFz 25	578496
Prandelli	H 14	578398		TH 25	578360	Simplex	H 11,5	578394		RFz 32	578498
MULTYRAMA	H 16	578400	Rubinetteria	M 12	578310	SiRoCon	H 16	578400		U 16	578374
	H 18	578404	Bresciane	M 15	578312	Installationssystem	H 20	578406		U 20	578378
	H 20	578406	Bonomi	M 18	578314	H	H 26	578410		U 25	578380
	H 26	578410	TURBO INOX/	M 22	578316		H 32	578412		U 32	578382
	H 32	578412	TURBO STEEL	M 28	578318	Simplex	TH 16	578352	TIEMME	TH 14	578348
PRASKI	TH 10	578342	Rubinetteria	TH 14	578348	SiRoCon	TH 20	578358	COBRAPRESS	TH 16	578352
BAVARIA-press	TH 16	578352	Bresciane	TH 16	578352	Installationssystem	TH 26	578362		TH 18	578356
	TH 17	578354	Bonomi	TH 18	578356	TH	TH 32	578364		TH 20	578358
	TH 20	578358	TURBO PRESS	TH 20	578358	SLOVARM	U 16	578374		TH 26	578362
	TH 26	578362		TH 26	578362	PEX-THERM	U 20	578378		THL 32	578368
	TH 32	578364		TH 32	578364		H 26	578410	TKM Fellingsbro	H 14	578398
PURMO	TH 14	578348	SANHA-	SA 12	578510		U 32	578382	TKMPRESS	H 16	578400
HKS Sitec Press	TH 16	578352	Pressfittings,	SA 14	578512		H 16	578400		H 17	578402
	TH 17	578354	SANHA-NiroSan-	SA 15	578514		H 20	578406		H 18	578404
	TH 18	578356	Presssystem	SA 16	578516		H 26	578410		H 20	578406
	TH 20	578358		SA 18	578518		H 32	578412		H 26	578410
	TH 26	578362		SA 22	578520	Standard Hidráulica	U 16	578374		H 32	578412
	TH 32	578364		SA 28	578522	MultiStandard	U 18	578376	Tréfirmétaux Qtec	TH 14	578348
Raccorderie	M 15	578312		M 12	578310		U 20	578378		TH 16	578352
Metalliche	M 18	578314		M 15 ²⁾	578312		U 25	578380	TUBOPLAST	TH 14	578348
inoxPRES ¹⁾	M 22	578316		M 18 ²⁾	578314		U 32	578382	sistema multistrato	TH 16	578352
steelPRES ¹⁾	M 28	578318		M 22 ²⁾	578316	SURE HISPANIA	RFz 16	578492		TH 18	578356
remo	H 14	578398		M 28	578318	SURE-PRESS	RFz 20	578494		TH 20	578358
	H 16	578400		V 12	578324		RFz 25	578496		TH 26	578362
	H 18	578404		V 14	578326		RFz 32	578498		THL 32	578368
	H 20	578406		V 15 ²⁾	578328	System	H 14 A	578418	Ulrich	H 14	578398
	H 26	578410		V 16	578330	WELCO-Flex	H 16 A	578420	VARIOFLEX-	H 16	578400
	H 32	578412		V 18 ²⁾	578332		H 17 A	578422	HAKAPRESS	H 17	578402
RIFENG U	U 16	578374		V 22 ²⁾	578334		H 20 A	578426		H 18	578404
				V 28	578336		H 26 A	578430		H 20	578406
PRESS FITTING	U 18	578376	Schlösser	TH 16	578352		H 32 A	578432		H 26	578410
(F5)	U 20	578378	EUROPRESS-	TH 20	578358	TEKNOCOBRE	TH 14	578348	Uponor Unipipe,	U 14	578372
	U 25	578380	SYSTEM	TH 26	578362	sistema multistrato	TH 16	578352	Uponor Airpipe	U 16	578374
	U 32	578382		TH 32	578364		TH 18	578356		U 18	578376
RIFENG TH	TH 16	578352	SCHÜTZ EHT	TH 14	578348		TH 20	578358		U 20	578378
PRESS FITTING	TH 20	578358	rOpress	TH 16	578352		TH 26	578362		U 25	578380
(F9)	TH 25	578360		TH 20	578358		THL 32	578368		U 32	578382
	TH 26	578362		TH 26	578362	Valsir PEXAL	H 14	578398		H 16	578400
	TH 32	578364		TH 32	578364		H 20	578406		H 20	578406
							H 26	578410		H 26	578410

REMS pressing tongs Mini

Accessories for REMS Mini-Press ACC

System	Pressing tongs Mini	Art. No.	System	Pressing tongs Mini	Art. No.	System	Pressing tongs Mini	Art. No.	System	Pressing tongs Mini	Art. No.
Van Marcke	TH 16	578352	VSH Fittings	U 16	578374	Yorkshire Fittings	M 15	578312			
Tu-Bi-Pex	TH 20	578358	VSH KAN-therm	U 20	578378	'XPress Copper' ¹⁾	M 18	578314			
	TH 26	578362		U 25	578380	'XPress Carbon' ¹⁾	M 22	578316			
	TH 32	578364		U 32	578382	'XPress Stainless' ¹⁾	M 28	578318			
Van Marcke	M 12	578310	VSH Fittings	M 12	578310	Zetaesse	TH 14	578348			
Tu-Bi-Press	M 15	578312	VSH Press	M 15	578312	Multistrato	TH 16	578352			
	M 18	578314	Carbon Steel ¹⁾	M 18	578314	EUROPEX/	TH 18	578356			
	M 22	578316	VSH Press	M 22	578316	ISOPEX	TH 20	578358			
	M 28	578318	Stainless Steel ¹⁾	M 28	578318		TH 26	578362			
Variotherm	TH 11,6	578344	RYW Press Copper ¹⁾				TH 32	578364			
System TH	TH 16	578352	Watts MTR	TH 16	578352	Zetaesse Rame	TH 14	578348			
Vesecal Metalplast	U 16	578374	Art press	TH 20	578358	HydroSAN/	TH 16	578352			
	U 18	578376		TH 26	578362	ThermoSAN	TH 20	578358			
	U 20	578378		TH 32	578364	ZEWOTHERM	TH 16	578352			
	U 25	578380	Wavin Future K 1,	U 16	578374		TH 17	578354			
	U 32	578382	Wavin Future K 2,	U 18	578376		TH 20	578358			
Viega-	VX 12	578550	Wavin Tigris,	U 20	578378		TH 26	578362			
'Pexfit FOSTA/	VX 16	578552	Wavin Tigris Alupex,	U 25	578380		TH 32	578364			
'Pexfit PLUS',	VX 20	578554	Wavin Tigris Blue,	U 32	578382						
Viega ProPress	VUS 1/2"	578566	Wavin Tigris PEX								
System (USA)	VUS 3/4"	578568	WeeConPress Cu	V 12	578324						
	VUS 1"	578570		V 15	578328						
Viega-	V 12	578324		V 18	578332						
'prestabo/	VG 14	578338		V 22	578334						
'profipress/	V 15	578328		V 28	578336						
'profipress G/	VG 16	578340	WeeConPress	M 12	578310						
'profipress THERM/	V 18	578332	C-Stahl/Inox	M 15	578312						
'sanpress/	V 22	578334		M 18	578314						
'sanpress INOX'	V 28	578336		M 22	578316						
'sanpress INOX G'				M 28	578318						
Viega-	VP 14	578480	WeeConFlex MVR	TH 16	578352						
'sanfix FOSTA/	VP 16	578482		TH 20	578358						
'sanfix P/	VP 20	578484		TH 26	578362						
'sanfix PLUS/	VP 25	578486		TH 32	578364						
'Viegatherm P'	VP 32	578488	WEFA PLASTIC	H 16	578400						
Viessmann	TH 14	578348	WEFATHERM-	H 20	578406						
	TH 16	578352	PRESS	H 26	578410						
	TH 20	578358		H 32	578412						
	TH 26	578362	WEM	H 16	578400						
	TH 32	578364		U 16	578374						
V.I.Trade VITerm	TH 16	578352	Winkler	TH 14	578348						
	TH 18	578356		TH 16	578352						
	TH 20	578358		TH 18	578356						
	TH 25	578360		TH 20	578358						
	TH 32	578364		TH 26	578362						
VSH Flow Control	M 12	578310		TH 32	578364						
VSH C-Press ¹⁾	M 15	578312	WKS-Press	TH 14	578348						
VSH Cu-Press ¹⁾	M 18	578314		TH 16	578352						
VSH S-Press ¹⁾	M 22	578316		TH 17	578354						
	M 28	578318		TH 20	578358						
VSH Flow Control	U 16	578374		TH 26	578362						
VSH KAN-therm	U 20	578378		TH 32	578364						
	U 25	578380									
	U 32	578382									



¹⁾ For these pressfitting systems the REMS pressing tongs Mini marked "77", "87", or from production date 2008 onwards marked "108" (1st quarter 2008), "208" (2nd quarter 2008) etc are suitable. The marking is stamped on each pressing jaw.

²⁾ For SANHA NiroSan-Press pressfittings in stainless steel one can only use REMS pressing tongs Mini marked "108" (1. quarter 2008), "208" (2. quarter 2008) etc. The marking is stamped on each pressing jaw.

Application REMS pressing tools for pressfitting systems: Date 01.05.2008. REMS pressing tongs Mini for additional pressfitting systems on request.