



PAP (PE-AL-PE) PIPE

PERT/PEX-AL-PERT/PEX FOR HOT WATER



PERT/PEX-AL-PERT/PEX FOR HOT WATER

Color: white

Specification	Max	Max	Burst	Weight	Packing	Carton Size (mm)	Cartons/20	Quantity/20 [*]	Cartons/40 [*]	Quantity/40 [*]
	PN	Working Tem.			(Mpa)					
	(Mpa)	(°C)		(kg)	(m/ctn)			(m)		(m)
1014-R	1	95	≥7.0	17.5	200	650×230×650	288	57600	576	115200
1216-R	1	95	≥6.0	23	200	720×230×730	233	46600	466	93200
				11.5	100	600×230×610	333	33300	666	66600
1418-R	1	95	≥5.0	24	200	800×230×810	187	37400	374	74800
				12	100	670×230×680	269	26900	538	53800
1620-R	1	95	≥5.0	30.5	200	850×230×850	168	33600	336	67200
				15.25	100	670×230×680	269	26900	538	53800
2025-R	1	95	≥4.0	24	100	830×230×840	175	17500	350	35000
2632-R	1	95	≥4.0	36	100	1000×270×1020	101	10100	202	20200
				18	50	910×230×920	145	7250	290	14500
				9	25	810×230×830	181	4525	362	9050
3240-R	1	95	≥4.0	3.1	54=6×9Pcs	135×135×6000	342	12312	458	24732
					36=4×9Pcs	135×135×4000			684	24624
4150-R	1	95	≥3.8	4.5	54=6×9Pcs	155×155×6000	250	9000	347	18738
					36=4×9Pcs	155×155×4000			500	18000
5163-R	1	95	≥3.8	7.7	24=6×4Pcs	135×135×6000	342	5472	458	10992
					16=4×4Pcs	135×135×4000			684	10944
6075-R	1	95	≥3.8	10.8	24=6×4Pcs	155×155×6000	250	4000	347	8328
					16=4×4Pcs	155×155×4000			500	8000

Brass fittings and Valves for PE-AL-PE piping system



CHRYSsafidis

press fitting series

Description	Picture	Spec
Straight Nipple -equal		Sy16-S
		Sy18-S
		Sy20-S
		Sy25-S
		Sy32-S
Straight Nipple -reducing		Sy16x18-S
		Sy16x20-S
		Sy18x20-S
		Sy20x25-S
		Sy16x25-S
		Sy18x25-S
		Sy16x32-S
		Sy18x32-S
		Sy20x32-S
Sy25x32-S		
Straight Nipple -male		Sy16x1/2M-S
		Sy16x3/4M-S
		Sy18x1/2M-S
		Sy18x3/4M-S
		Sy20x1/2M-S
		Sy20x3/4M
		Sy25x1/2M
		Sy25x3/4M
		Sy25x1M
		Sy32x1/2M
		Sy32x3/4M
		Sy32x1M
		Sy32x1 1/4M
Straight Nipple -female		Sy16x1/2F
		Sy16x3/4F
		Sy18x1/2F
		Sy18x3/4F
		Sy20x1/2F
		Sy20x3/4F
		Sy25x1/2F
		Sy25x3/4F
		Sy25x1F
		Sy32x1/2F
		Sy32x3/4F
Sy32x1F		
Sy32x1 1/4F		



Brass fittings and Valves for PE-AL-PE piping system



press fitting series

Description	Picture	Spec
Elbow- equal		Ly16
		Ly18
		Ly20
		Ly25
		Ly32
Elbow-reducing		Ly16x18
		Ly16x20
		Ly18x20
		Ly20x25
		Ly16 x 25
		Ly18x25
		Ly16 x 32
		Ly18 x 32
		Ly20 x 32
		Ly25 x 32
Elbow-male		Ly16x1/2M
		Ly16x3/4M
		Ly18x1/2M
		Ly18x3/4M
		Ly20x1/2M
		Ly20x3/4M
		Ly25x1/2M
		Ly25x3/4M
		Ly25x1M
		Ly32x1/2M
		Ly32x3/4M
		Ly32x1M
		Ly32x1 1/4M
Elbow-female		Ly16x1/2F
		Ly16x3/4F
		Ly18x1/2F
		Ly18x3/4F
		Ly20x1/2F
		Ly20x3/4F
		Ly25x1/2F
		Ly25x3/4F
		Ly25x1F
		Ly32x1/2F
		Ly32x3/4F
		Ly32x1F
		Ly32x1 1/4F

Brass fittings and Valves for PE-AL-PE piping system



CHRYSsafidis

press fitting series

Description	Picture	Spec
Wallplate Elbow -female		Ly16x1/2FZ
		Ly18x1/2FZ
		Ly18x3/4FZ
		Ly20x1/2FZ
		Ly20x3/4FZ
		Ly25x1/2FZ
		Ly25x3/4FZ
Wallplate Elbow -male		Ly16x1/2MZ
		Ly20x1/2MZ
Tee- equal		Ty16
		Ty18
		Ty20
		Ty25
		Ty32
Tee-reducing		Ty16x18x16
		Ty16x20x16
		Ty20x16x20
		Ty20x18x20
		Ty20x25x20
		Ty25x16x25
		Ty25x18x25
		Ty25x20x25
		Ty25x32x25
		Ty32x16x32
		Ty32x18x32
		Ty32x20x32
		Ty32x25x32
		Ty16x16x20
		Ty16x20x20
Ty20x20x25		
Ty25x25x32		








Brass fittings and Valves for PE-AL-PE piping system



press fitting series

Description	Picture	Spec
Tee-male		Ty16x1/2M
		Ty16x3/4M
		Ty18x1/2M
		Ty18x3/4M
		Ty20x1/2M
		Ty20x3/4M
		Ty25x1/2M
		Ty25x3/4M
		Ty25x1M
		Ty32x1/2M
		Ty32x3/4M
		Ty32x1M
		Ty32x1 1/4M
		Tee-female
Ty16x3/4F		
Ty18x1/2F		
Ty18x3/4F		
Ty20x1/2F		
Ty20x3/4F		
Ty25x1/2F		
Ty25x3/4F		
Ty25x1F		
Ty32x1/2F		
Ty32x3/4F		
Ty32x1F		
Ty32x1 1/4F		
Equal Ball Valve		
		Qy18
		Qy20
		Qy25
		Qy32
Male Ball Valve		Qy16x1/2M
		Qy16x3/4M
		Qy18x1/2M
		Qy18x3/4M
		Qy20x1/2M
		Qy20x3/4M
		Qy25x1/2M
		Qy25x3/4M
		Qy25x1M
		Qy32x3/4M
		Qy32x1M
		Qy32x1 1/4M




CHRYSsafidis

Brass fittings and Valves for PE-AL-PE piping system



press fitting series

Description	Picture	Spec
Female Ball Valve		Qy16x1/2F
		Qy16x3/4F
		Qy18x1/2F
		Qy20x1/2F
		Qy20x3/4F
		Qy25x1/2F
		Qy25x3/4F
		Qy25x1F
		Qy32x1/2F
		Qy32x3/4F
		Qy32x1F
		Qy32x1 1/4F
		Union Ball Valve
QHyl8		
QHyl20		
QHyl25		
QHyl32		

tool series

Description	Picture	Spec
Pipe Forfex		GJ14/32
Pipe Cutter		GD14/75
Pipe Bender		WGQ14/32
Spring for Curving Pipe		WTH-14
		WTH-16
		WTH-18
		WTH-20
		WTH-25
		WTH-32



Brass fittings and Valves for PE-AL-PE piping system

tool series



Description	Picture	Spec
Metal Rounding		ZYJ14/32
Plastic Rounding		ZYS14/32
Rounding and Bevelling		ZYD-14
		ZYD-16
		ZYD-18
		ZYD-20
		ZYD-25
		ZYD-32
Rounding and Bevelling		ZYD-40
		ZYD-50
		ZYD-63
		ZYD-75
Press Manual Clamp		SYQ14/32
Press Hydraulic Clamp		YYQ14/32
Press Hydraul/Manual Pliers Ring Mould		YQH-14